





2 SECOND LEVEL ELECTRICAL PLAN
 1/4"=1'-0"



1 FIRST LEVEL ELECTRICAL PLAN
 1/4"=1'-0"



GORDONPARTNERS
 DEVELOPMENT • DESIGN • ARCHITECTURE
 #90 WOODWAY DR., SUITE 1125
 HOUSTON, TX 77060
 (713) 961-3330

MX4 CONSTRUCTION LTD.
 2104 CHILTON RD.
 HOUSTON, TX 77019

CONTACT:
 RYAN GORDON
 rgordon@gordonpartners.com
 (713) 961-3330 x13

ISSUE FOR
 PERMIT & CONSTRUCTION
 REVIEW SET

Date	10-04-17
Revisions	
Scale	
Dwn. By	
Chd. By	
Job No.	
File No.	

Sheet

A2-4



1. ALL SMOKE DETECTORS SHALL BE HARD-WIRED AND INTERCONNECTED WITH BATTERY BACKUP WITH CARBON MONOXIDE DETECTOR


1. LOCATE ALL SWITCHES WITH BOTTOM @ 50" A.F.F. UNLESS NOTED OTHERWISE
2. ALL FLOOR PLUGS ARE HALE HOT UNLESS NOTED

2. ALL FLOOR PLUGS ARE HALF HOT UNLESS NOTED OTHERWISE ON PLAN
3. VENTILATION SYSTEM: 50 CUBIC FT/MIN (24 L/S) INTERMITTENT. EXHAUST DIRECTLY OUTSIDE.
4. INSTALL ALL OUTLETS HORIZONTAL IN BASEBOARD
5. A MEETING SHALL TAKE PLACE AFTER SWITCHES ARE INSTALLED TO INDICATE WHICH SHALL BE PLACED ON DIMMERS

1. EXTERIOR SECURITY LIGHTS SHALL BE EITHER INCANDESCENT OR LED
2. FLOODLIGHTING SHALL NOT ILLUMINATE PUBLIC OR PRIVATE PROPERTIES

LIGHT FIXTURE LEGEND	
SYMBOL	DESCRIPTION
A1	RECESSED CEILING MOUNTED FIXTURE-TYPE 1
A2	RECESSED CEILING MOUNTED FIXTURE-TYPE 2
A3	RECESSED CEILING MOUNTED FIXTURE-TYPE 3 (LENS FOR CL)
A4	RECESSED CEILING MOUNTED FIXTURE (WATERPROOF)
B	RECESSED CEILING MOUNTED FIXTURE-AIR LIGHT
C	UNDER CABINET LIGHT
E	WALL MOUNTED FIXTURE
F	HANGING CEILING FIXTURE
G	SURFACE MOUNTED CEILING FIXTURE
H	EXTERIOR RECESSED CEILING MOUNTED FIXTURE
J	EXTERIOR FLOOD LIGHTS
K	2X4 FLUORESCENT LIGHT
L	EXTERIOR LANDSCAPE LIGHT
M	WALL MOUNTED FIXTURE W/ LENS (CLOSET LOCATIONS)
N	EXHAUST VENT
P	LIGHT / EXHAUST VENT COMBO
Q	FAN
R	LED COVE LIGHT
S	STEP LIGHT
T	EXTERIOR WALL MOUNTED FIXTURE
U	EXTERIOR WALL MOUNTED FIXTURE W/ GAS

2 GENERAL NOTES AND LEGEND
1/8"=1'-0"



1 THIRD LEVEL ELECTRICAL PLAN
1/4"=1'-0"



MX4 CONSTRUCTION LTD.
2104 CHILTON RD.
HOUSTON, TX 77019

CONTACT:
RYAN GORDON
rgordon@gordonpartners.com
(713) 961-3330 x13

ISSUE FOR
PERMIT & CONSTRUCTION
REVIEW SET

Date 10-04-17

Revisions
△
△
△
△
△
△

Scale
Dwn. By
Ckd. By
Job No.
File No.

Sheet
A2-5

A2-5